

ICBIW-30R



FEATURES

Rigorously tested in our U.S. manufacturing facilities to ensure decades of use

Exceptional support from Customer Care team

Custom front panel and hardware allow for infinite design options.

Dual evaporators for constant, moderate humidity so corks don't dry out

Two independent temperature zones hold reds and whites at proper serving temperature

Bronze-tinted, UV-resistant glass protects against light exposure

Soft-on LED lighting illuminates gradually

Wine racks accommodate 750 ml bottles, half-bottles and magnums.

Intuitive touch control panel keeps temps within one degree of set point

Home security system connection

Star-K compliant with installation of a harness kit.

Illuminated display rack for prized bottles of wine.

Full-extension, easy-glide racks provide access without agitating wine

New inventory tiles system lets you label wine racks for easy ID

ACCESSORIES

30" Bulk Storage Drawer

Dessert Wine Rack

Door Lock Kit

Wine Inventory Tiles

Wine Inventory Tiles-Writable

Dual installation kit for installation with another wine or integrated model

Stainless steel front panels with tubular or pro handles

Reduced toe kick divider for toe kicks from 10 cm to 5 cm

Side enclosure

Solid overlay door

Top enclosure

Stainless steel pro handles

Stainless steel tubular handles

Accessories are available through an authorized dealer.
For local dealer information, visit subzero-wolf.com/locator.



HANDLE ACCESSORIES

PRO




TUBULAR



PRODUCT SPECIFICATIONS

Model	ICBIW-30R
Dimensions	762mmW x 2134mmH x 610mmD
Door Clearance	724mm
Drawer Clearance	451mm
Weight	222 kg
Electrical Supply	220-240 VAC; 50/60 Hz
Electrical Service	≤ 2 A
Wine Storage Capacity	86 Bottles
Drawer Capacity	144 L
Receptacle	3-prong grounding-type

ELECTRICAL





NOTE: Dimensions in parenthesis are in millimeters unless otherwise specified

INTERIOR VIEW



This illustration is intended for interior reference only and may not represent the exterior of the model being specified.

DIMENSIONS



STANDARD INSTALLATION

